

Dynamic Simulation and Control of a Continuous Bioreactor Based on Cell Population Balance Model

Sharifian, Mahdi; Fanaei, Mohammad Ali*⁺

Department of Chemical Engineering, Ferdowsi University, P.O. Box 91775-1111 Mashhad, I.R. IRAN

ABSTRACT: *Saccharomyces cerevisiae* (baker's yeast) can exhibit sustained oscillations during the operation in a continuous bioreactor that adversely affects its stability and productivity. Because of heterogeneous nature of cell populations, the cell population balance equation (PBE) can be used to capture the dynamic behavior of such cultures. In this work, an unstructured-segregated model is used for dynamic simulation and controller synthesis. The mathematical model consists of a partial integro-differential equation describing the dynamics of the cell mass distribution (PBE) and an ordinary integro-differential equation accounting for substrate consumption. In order to solve the mathematical model, three methods, finite difference, orthogonal collocation on finite elements and Galerkin finite element are used to approximate the PBE model by a coupled set of nonlinear ordinary differential equations (ODEs). Then the resulted ODEs are solved by 4th order Rung-Kutta method. The results indicated that the orthogonal collocation on finite element not only is able to predict the oscillating behavior of the cell culture but also needs much little time for calculations. Therefore this method is preferred in comparison with other methods. In the next step two controllers, a globally linearizing control (GLC) and a conventional proportional-integral (PI) controller are designed for controlling the total cell mass per unit volume, and performances of these controllers are compared through simulation. The results showed that although the PI controller has simpler structure, the GLC has better performance.

KEY WORDS: *Cell population balance, Finite difference, Orthogonal collocation on finite element, Galerkin finite element, Nonlinear control.*

INTRODUCTION

Saccharomyces cerevisiae (baker's yeast) is one of the important industrial microorganisms which are used in the brewing, food manufacturing and genetic engineering industries. Under moderate operating conditions, continuous bioreactors producing *Saccharomyces cerevisiae* may exhibit sustained oscillations.

In most situations, the oscillations adversely affect bioreactor operability. So the underlying cellular mechanisms that cause oscillatory yeast dynamics are still controversial and current topic of study. Understanding and controlling this dynamic behavior would lead to significant advances in yeast production processes.

* To whom correspondence should be addressed.

+ E-mail: fanaei@ferdowsi.um.ac.ir

1021-9986/09/2/15

13/\$/3.30

Three types of autonomous oscillations have been reported in literature [1-3]: cell cycle dependent oscillations, glycolytic oscillations and short-period sustained oscillations. Only the cell cycle dependent oscillations are considered in this paper. These oscillations are also known to be strongly associated with the cell cycle synchronization of the yeast population [3, 4]. Oscillations are also reported to appear at intermediate dissolved oxygen levels [4, 5]. The periods of oscillation varies from 2 to 45 hr depending on the particular strain and operating conditions [4, 6, 7]. Major research efforts have been focused on the characterization of intracellular metabolisms, extra cellular media, cell cycle and the interaction of cells with the environment. Depending on these various aspects, a variety of dynamic models have been proposed [3, 8-13]. However no single reported model has been considered satisfactory in addressing all of the complex dynamics that are experimentally observed.

Physically, a yeast culture is comprised of a population of individual cells with different physiological and biochemical properties and an extra cellular media with a number of different components. Fredrickson [1] introduced the term "segregated", to indicate explicit accounting for the presence of the heterogeneous individuals in the cell population, and the term "structured" to designate the accounting for the various intracellular and extra cellular chemical components. A number of transient models have been proposed to explain the sustained oscillations observed in continuous cultures of baker's yeast [3-5, 8-13]. These models can be classified into three categories: structured and unsegregated models; unstructured and segregated models; and structured and segregated models.

As unstructured and unsegregated models are oversimplistic and cannot predict the oscillating behavior, they are not considered in the classification. Unsegregated models are based on the simplifying assumption that individual cells have identical physical and chemical properties while segregated models account for differences between individual cells in terms of properties such as cell mass or cell age. Unstructured models have no chemical structure imposed on the biophase i.e. these models are based on the assumption that detailed modeling of intracellular behavior is not essential to describe cell growth. In contrast, structured models account for various chemical components and their interactions within the cell.

Therefore structured and unsegregated models consider the biophase as a continuous and well-mixed phase and account for the chemical structure of that [8]. It means that oscillatory dynamics produced by structured, unsegregated models are a direct result of cell metabolism incorporated into the model. For example Jones and Kompala have proposed a structured, unsegregated model to describe the growth dynamics of *S. cerevisiae* in both batch and continuous cultures [9]. The model is derived using the cybernetic modeling framework first proposed by Ramkrishna *et al.* [14].

The cybernetic modeling framework is based on the hypothesis that microorganisms optimize utilization of available substrates to "maximize their growth rate at all time". In cybernetic modeling of *S. cerevisiae*, oscillations arise from competition between three metabolic pathways: glucose fermentation, glucose oxidation and ethanol oxidation. This model is able to produce sustained oscillations over a wide range of operating conditions. Despite this ability, the cybernetic model has a few major drawbacks. First of all, as the model does not account for the segregated nature of cell culture, it can not describe the observed cell cycle synchrony which is believed to play a critical role in the stabilization of the oscillations [1, 5, 15]. However, it views the oscillations as a mere result of competitions among metabolic pathways. This explanation is questionable because it is based on the unexplained coincidences that the period of the oscillations matches the characteristic time of the cell cycle and also predicts quick elimination and regeneration of metabolic oscillations in response to the changes in operating conditions such as dilution and agitation rates. Although the dynamic competition between the three metabolic pathways is indeed the causative factor for the oscillations, these predictions are not in accordance with experimental results [9, 10].

In contrast, structured and segregated models [10, 16, 17] attempt to explore more details of the cell culture. Cells are differentiated individually and oscillations are viewed as a result of cell population dynamics rather than cell metabolism. The structured and segregated model is comprised of a set of cell mass distribution balances combined with a metabolic model that accounts for the basic variables. It is capable to predict sustained oscillations with periods comparable to those observed experimentally. However, the model solution is quite

laborious. Because some model parameters do not have clear physical meaning and can not be determined from experimental measurements. The complexity also makes the model not well suited for practical control applications.

Unstructured and segregated models can be viewed as simplifications of the structured and segregated models by ignoring either the intracellular and extra cellular chemical structures. Individual cells can be identified by a single variable such as cell age or cell mass. The key feature of these models is a population balance equation that explains the time evolution of the cell age or cell mass distribution, combined with mass balance equations of other variables. Although these models cannot capture the interplay between cell metabolism and oscillatory dynamics due to their unstructured nature, they are able to predict the cell cycle synchrony well [18-20].

This paper is organized as follows. First, the mathematical model of bioreactor is described. Next, the numerical methods that are used for discretizing the model are described and compared through simulation studies. Finally, two control algorithm, a nonlinear controller based on feedback linearization (globally linearizing control) and a conventional proportional-integral (PI) controller are used for controlling the bioreactor and the performances of these controllers are compared through simulation.

MODEL FORMULATION

The model couples the PBE for the cell mass distribution to the substrate mass balance. The simplified cell cycle from which the PBE model is derived is shown in Fig. 1.

The PBE is written as [19, 20]:

$$\frac{\partial W(m,t)}{\partial t} + \frac{\partial [K(S')W(m,t)]}{\partial m} = \quad (1)$$

$$\int_0^\infty 2P(m,m')\Gamma(m',S')W(m',t)dm' - [D + \Gamma(m)]W(m,t)$$

Where m is the cell mass, $W(m,t)$ is the number density of cells with mass m at time t ; $K(S')$ is the single cell growth rate, S' is the effective substrate concentration, $P(m,m')$ is the newborn cell probability function, Γ is the division intensity function, and D is the dilution rate.




Fig. 1: Simplified cell cycle model for budding yeast.

The division intensity function models the tendency of budding cells to divide as they approach a certain critical mass. It has the following form [19]:

$$\Gamma(m,S') = \begin{cases} 0 & \text{for } m \leq m_t^* + m_0 \\ \gamma \exp[-\varepsilon(m - m_d^*)^2] & \text{for } m_t^* + m_0 < m < m_d^* \\ \gamma & \text{for } m \geq m_d^* \end{cases} \quad (2)$$

Where m_t^* is the transition mass, m_0 is the additional mass that mother cells must gain before division is possible, ε and γ are constant parameters and m_d^* is the mass at which the division intensity reaches its maximum value. The parameter ε determines how rapidly the division rate increases as the cell mass approaches m_d^* .

The newborn cell probability function describes the mass distribution of newborn cells resulting from cell division. This function is chosen as [19]:

$$P(m,m') = \begin{cases} A \exp[-\beta(m - m_t^*)^2] + \dots & , m' \leq m \text{ and } m' \leq m_t^* + m_0 \\ A \exp[-\beta(m - m' + m_t^*)^2] & \\ 0 & , m' \leq m \text{ or } m' \leq m_t^* + m_0 \end{cases} \quad (3)$$

Where m is the mass of the newborn cell and m' is the mass of the budding mother cell. A and β are constant parameters. This function must satisfy:

$$\int_0^{m'} P(m,m') dm = 1 \quad (4)$$

The probability function produces two identical Gaussian peaks in the cell number distribution, one centered at the transition mass m_t^* (corresponding to mother cells) and one centered at $m' - m_t^*$ (corresponding to newborn daughter cells).

Table 1: The parameters values of the cell population balance model [19].

Parameter	Value	Parameter	Value
γ	200	ε	$5 \times 10^{26} \text{ g}^{-2}$
Λ	$\sqrt{25/\pi} \times 10^{13}$	β	$100 \times 10^{26} \text{ g}^{-2}$
S_i	0.1 g/L	S_h	2 g/L
K_t	$0.01 \times 10^{-13} \text{ g/gL}$	K_d	$1 \times 10^{-13} \text{ g/gL}$
m_{t0}	$6 \times 10^{-13} \text{ g}$	m_{d0}	$11 \times 10^{-13} \text{ g}$
m_{\max}	$12 \times 10^{-13} \text{ g}$	m_0	$1 \times 10^{-13} \text{ g}$
Y	0.4	μ_m	$5 \times 10^{-12} \text{ g/h}$
K_m	25 g/L	α	20
D	0.4 h^{-1}	S_f	25 g/L

It has been found that the functions used to model the substrate dependence of the transition mass (m_t^*) and the division mass (m_d^*) play important roles in the ability of the model to exhibit stable periodic solutions. The following functions have been proposed by Zhu et al. [19] for the transition and division masses:

$$m_t^*(S') = \begin{cases} m_{t0} + K_t(S_1 - S_h) & S' < S_1 \\ m_{t0} + K_t(S' - S_h) & S' \in [S_1, S_h] \\ m_{t0} & S > S_h \end{cases} \quad (5)$$

$$m_d^*(S') = \begin{cases} m_{d0} + K_d(S_1 - S_h) & S' < S_1 \\ m_{d0} + K_d(S' - S_h) & S' \in [S_1, S_h] \\ m_{d0} & S > S_h \end{cases} \quad (6)$$

Where S_i , S_h , m_{t0} , m_{d0} , K_t and K_d are constant parameters.

The substrate balance is written as:

$$\frac{dS}{dt} = D(S_f - S) - \int_0^\infty \frac{K(S')}{Y} W(m, t) dm \quad (7)$$

Where S is the actual substrate concentration, S' is the effective substrate concentration, S_f is the feed substrate concentration and Y is a constant yield coefficient. It can be assumed that the single cell growth rate follows the simple Monod kinetics:

$$K(S') = \frac{\mu_m S'}{K_m + S'} \quad (8)$$

Where μ_m and K_m are constant parameters. The filtered (effective) substrate concentration is computed as:

$$\frac{dS'}{dt} = \alpha(S - S') \quad (9)$$

The constant parameter α determines how fast cells respond to environmental changes.

The parameters values of the bioreactor model (Eqs. (1)-(9)) are given in table 1. In addition, the initial cell distribution is assumed to be as below:

$$W(m, 0) = 10^{26} \cdot \exp\left[-5 \times 10^{26} (m - 6 \times 10^{-13})^2\right] \quad (10)$$

$$\text{cells} \cdot \text{g}^{-1} \cdot \text{L}^{-1}$$

NUMERICAL SOLUTION

The PBE model is comprised of a coupled set of nonlinear algebraic, ordinary differential and integro-partial differential equations. Analytical solution is possible under very restrictive assumptions [21, 22]. Therefore, numerical solution of the PBE model is required. A variety of numerical solution techniques based on finite difference, weighted residual and orthogonal collocation methods can be applied to such PBE models [23-26]. In this paper three numerical methods: finite difference; orthogonal collocation on finite elements; and Galerkin finite element, are used for solving the bioreactor model equations. In all simulations, a finite cell mass domain, $0 \leq m \leq m_{\max}$, is chosen in such a way that the number of cells with mass greater than a maximum value ($m > m_{\max}$) are negligible. The implementation algorithms of these numerical methods are mentioned in many textbooks such as Finlayson 1980 [27].




Fig. 2: Open loop transient response of total cell number using finite difference method. $n=120$, No oscillatory conditions (line), oscillatory conditions (dash line).

Finite difference method

In this method, the finite mass domain is divided into n equal space grids. Then the cell population balance equation (Eq. (1)) is discretized over the mass domain and a nonlinear ordinary differential equation is obtained for each grid. The backward difference approximation is used for mass dimension derivative due to definite boundary conditions at the first point ($W(0, t)=0$), and the 1/3 Simpson's rule approximation is used for the integral term [27]. It is important to note that to respect the Simpson's rule, the number of divisions must be even. The concluding set of nonlinear ODEs are:

$$\frac{dW_j}{dt} = -\frac{1}{h} K(S')(W_j - W_{j-1}) + \quad (11)$$

$$\left(\frac{h}{3}\right) \sum_{i=1}^{n-1} (U_{j,0} + a_i U_{j,i} + U_{j,n}) - (D + \Gamma_j) W_j \quad j=1,2,\dots,n$$

$$U_{j,i} = 2P_{j,i} \Gamma_i W_i \quad (12)$$

$$\frac{dS}{dt} = D(S_f - S) - \frac{K(S')}{Y} \left(\frac{h}{3}\right) \sum_{i=1}^{n-1} (W_0 + a_i W_i + W_n) \quad (13)$$

$$\frac{dS'}{dt} = \alpha(S - S') \quad (14)$$

$W_j = W(m_j)$ denotes the cell number density at division point j . The value of coefficient a_i is 2 for even i and 4 for odd i . h is the step size of each division. $P_{j,i} = P(m_j, m_i)$ is the (j, i) th element of the matrix $P \in \mathbb{R}^{n \times n}$ and




Fig. 3: Open loop transient response of substrate concentration using finite difference method. $n=120$, No oscillatory conditions (line), oscillatory conditions (dash line).

$\Gamma_i = \Gamma(m_i)$ is the i th element of the vector $\Gamma \in \mathbb{R}^n$. Both P and Γ varying with time as they depend on S' .

The set of derived ordinary differential equations (Eqs. (11), (13) and (14)) is solved, using 4th order Runge-Kutta with variable step size method (MATLAB 7.0 – ode 45). The open loop responses of the total cell number per unit volume and substrate concentration are shown in Figs. 2 and 3 with 120 number of division and for two operating conditions, oscillatory ($D=0.25 \text{ h}^{-1}$, $S_f=20 \text{ g/L}$) and no oscillatory conditions ($D=0.4 \text{ h}^{-1}$, $S_f=25 \text{ g/L}$).

As can be seen from the results, the model can not predict the oscillatory behavior if the finite difference method is used. Even by increasing the number of mass domain divisions to 400, oscillation not observed.

Orthogonal collocation on finite elements

In this method, the finite mass domain is discretized into some elements which may have various step sizes, but due to avoiding complex calculations, these sizes are assumed to be identical. The number of elements is shown by NE. When the solution has steep gradient form it is better to use the different trial functions on each element to approximate solutions. In order to achieve this purpose, orthogonal collocation is applied to each element by computing the residuals at each collocation point in the elements [27]. These internal collocation points are determined as the roots of appropriate Jacobi polynomial and their number is shown by NCOL.




Fig. 4: Open loop transient response of total cell number using orthogonal collocation on finite elements method. $n=109$, No oscillatory conditions (line), oscillatory conditions (dash line).

Therefore the total number of collocation points is:

$$NCOL \times NE + NE + 1 = NE(NCOL + 1) + 1 = n \quad (15)$$

After using the above procedure, the following set of ordinary differential equations is developed:

$$\frac{dW_j}{dt} = -\frac{1}{h} K(S') \sum_{i=1}^n A_{j,i} W_i + \quad (16)$$

$$h \sum_{i=1}^n 2w_i P_{j,i} \Gamma_i W_i - (D + \Gamma_j) W_j, \quad j=1,2,\dots,n$$

$$\frac{dS}{dt} = D(S_f - S) - \frac{K(S')}{Y} h \sum_{i=1}^n w_i W_i \quad (17)$$

$$\frac{dS'}{dt} = \alpha(S - S') \quad (18)$$

Where $A_{n \times n}$ is the collocation matrix [27] and h is the step size of each element. W_j , $P_{j,i}$ and Γ_j are the same as before. Integral expressions are approximated using Gaussian quadrature [27]. We use 12 equally spaced finite elements, each with 8 internal collocation points (the total number of collocation points is 109) [19]. The resulting set of ordinary differential equations is solved by ode45 (MATLAB 7.0). The open loop responses of total cell number per unit volume and substrate concentration are shown in Figs. 4 and 5 for two operating conditions (as mentioned in finite difference section). As can be seen from the results, by using the above




Fig. 5: Open loop transient response of substrate concentration using orthogonal collocation on finite elements method. $n=109$, No oscillatory conditions (line), oscillatory conditions (dash line).

numerical method, the model can predict the oscillatory responses. These oscillatory responses have period comparable with reported experimental observations [28].

Galerkin finite element

This method is similar to orthogonal collocation on finite elements with a difference that the Galerkin method is used on each element of mass domain instead of collocation. Of course, it is possible to apply the same trial function (Jacobi polynomial) but it is common to use the lower order functions (linear or quadratic) [27]. Therefore, linear basic functions are used for discretizing the cell population balance equation. To approximate the integral terms in Eqs. (1) and (7), the 1/3 Simpson's rule is used. After applying the above method, the following set of ordinary differential equations was obtained:

$$\frac{dW_i}{dt} = -\frac{1}{h} K(S') \sum_{i=1}^n A_{j,i} W_i + \quad (19)$$

$$\left(\frac{h}{3}\right) \sum_{i=1}^{n-1} (U_{j,0} + a_i U_{j,i} + U_{j,n}) - (D + \Gamma_j) W_j, \quad j=1,2,\dots,n$$

$$U_{j,i} = 2P_{j,i} \Gamma_i W_i \quad (20)$$

$$\frac{dS}{dt} = D(S_f - S) - \frac{K(S')}{Y} \left(\frac{h}{3}\right) \sum_{i=1}^{n-1} (W_0 + a_i W_i + W_n) \quad (21)$$

$$\frac{dS'}{dt} = \alpha(S - S') \quad (22)$$




Fig. 6: Open loop transient response of total cell number using Galerkin finite element method. $n=200$, No oscillatory conditions (line), oscillatory conditions (dash line).

Where $A_{j,i}$ is the Galerkin matrix [27] and n is the number of elements obtained by discretizing the mass domain. For solving the above set of differential equations, again ode 45 is used. To obtain an accurate solution, the simulation has been performed several times with different number of mass elements. The number of mass elements greater than 200 does not have significant effects on resulting responses. The open loop responses of total cell number per unit volume and substrate concentration are shown in Figs. 6 and 7 with 200 numbers of elements and for two operating conditions (the same as before). The results show that the model is able to predict the oscillatory dynamics if the Galerkin finite element is used.

The results of this section show that the finite difference method has drawback in prediction of oscillatory responses and even by increasing the number of mass domain division to 400, no oscillation was observed. Other methods, i.e. orthogonal collocation on finite elements and Galerkin finite element, are able to predict the oscillatory behaviors. The Galerkin finite element method is simpler than the orthogonal collocation but orthogonal collocation is more convergent than Galerkin. For example, Orthogonal collocation on finite elements gets an accurate solution by 109 collocation points on mass domain however Galerkin finite element needs at least 200 division on mass domain to reach this accuracy and it means that the number of calculations is more and the time duration is longer. Therefore the orthogonal collocation on finite element is




Fig. 7: Open loop transient response of substrate concentration using Galerkin finite element method. $n=200$, No oscillatory conditions (line), oscillatory conditions (dash line).

recommended for solving the PBE models of the yeast culture in continuous bioreactors.

CONTROL

Control objectives for oscillating yeast cultures can include the attenuation or the stabilization of the limit cycles. Obviously the attenuation of the undesirable oscillations leads to improve bioreactor operability under normal conditions. Oscillation stabilization may be desirable in certain situations; e.g. to increase the production of key metabolites produced preferentially during a part of the cell cycle. Linear and nonlinear control of oscillating yeast cultures based on model predictive controllers is investigated by many authors [17,19, 28-30]. In this paper the oscillation attenuation problem will be investigated by using SISO nonlinear controller based on feedback linearization.

The cell population model contains two variables that may serve as manipulated variables: the dilution rate (D) and the feed substrate concentration (S_f). The total cell number concentration (m_0) and the substrate concentration (S) are considered as candidate controlled outputs. Therefore there are a total of four candidate input/output pairings for SISO nonlinear controller design (D/m_0 , D/S , S_f/m_0 , S_f/S). Among them, the S_f/m_0 pair is not used in the controller design. Because that pair has the relative degree of three and the resulted nonlinear controller has complex structure and can not be implemented easily.

In what follows, at first, the globally linearizing control (GLC) algorithm is described briefly. Then, for each pairing, a GLC was designed and the performances of them are compared through simulations. Finally, a conventional PI controller is designed for D/m₀ pair and its performance was compared with GLC. In all simulations a discrete form of controllers with 0.05 hr sampling time was used.

GLC method

The GLC method is a nonlinear control algorithm based on differential geometric approach. The first step in the GLC synthesis is the calculation of a state feedback, under which the closed loop input/output system is exactly linear. Then for linearized system, a controller with integral action such as PI can be designed.

To implement the state feedback of the GLC, all the process state variables should be measured or estimated. Open loop or closed loop observers such as extended Kalman filter can be used for estimation of unmeasured state variables [31].

Consider SISO processes with the following model:

$$\begin{cases} \frac{dx}{dt} = f(x) + g(x)u \\ y = h(x) \end{cases} \quad (23)$$

with a finite relative order r (the relative order is the smallest integer for which $L_g L_f^{r-1} h(x) \neq 0$). Here x is the vector of state variables, u and y are the manipulated input and the controlled output, respectively. Under the state feedback:

$$u = \frac{v - h(x) - \sum_{i=1}^r \beta_i L_f^i h(x)}{\beta_r L_g L_f^{r-1} h(x)} \quad (24)$$

where β_i 's are tunable parameters, the closed loop v - y behavior is linear and described by the following equation:

$$v = y + \sum_{i=1}^r \beta_i \frac{d^i y}{dt^i} \quad (25)$$

Some guidelines for tuning of β_i 's parameters and other remarks for using GLC method are described by Soroush and Kravaris [32].

Control based on D/S pair

For the D/S pair, the control law of the GLC is synthesized directly from the substrate equation (which has the relative order one):

$$\frac{dS}{dt} = D(S_f - S) - \frac{K(S')}{Y} \int_0^\infty W(m,t) dm \quad (26)$$

Therefore, the control law has the following form:

$$D = \frac{v - S + \beta \frac{K(S')}{Y} \int_0^\infty W(m,t) dm}{\beta(S_f - S)} \quad (27)$$

It is necessary to know that the integral terms in the above equations (26, 27) represent the total number of cells per unit volume ($m_0 = \int_0^\infty W(m,t) dm$). A PI controller can be used to generate the input of linearized system (v) as given below:

$$v(t) = v_s + K_c(S^* - S) + \frac{K_c}{\tau_I} \int_0^t (S^* - S) dt \quad (28)$$

Where S^* is the desired profile of the substrate concentration in the bioreactor. K_c and τ_I are gain and integral time constant of PI controller, respectively.

The resulting control algorithm, have three parameters β , K_c and τ_I . These parameters are tuned with trial and error. The resulted values are: $K_c=1$, $\tau_I=1$ hr and $\beta=1$ hr. In implementation of the above GLC algorithm assumed that the substrate concentration and total cell number per unit volume can be measured on-line. It is necessary to note that the total cell number per unit volume is unobservable from substrate concentration measurements and therefore a closed loop observer can not be used.

The responses of m_0 and S are shown in Figs. 8 and 9 for two cases: a) the D/S pair loop is open ($S_f=20$ g/L, $D=0.25$ hr⁻¹), and b) after 5 hours, the D/S pair loop is closed ($S^*=0.8$ g/L). As can be seen from the results, although the oscillation in the substrate concentration is damped, the oscillation in the total cell number is not damped, and therefore the D/S pair control is not suitable for the attenuation of oscillation.

Control based on S_f/S pair

In this case, the control law of GLC method which is




Fig. 8: Transient response of total cell number per unit volume. D/S pair loop is open (dash line), D/S pair loop is closed using a GLC (line).




Fig. 10: Transient response of total cell number per unit volume. S_f/S pair loop is open (dash line), S_f/S pair loop is closed using a GLC (line).




Fig. 9: Transient response of substrate concentration. D/S pair loop is open (dash line), D/S pair loop is closed using a GLC (line).




Fig. 11: Transient response of substrate concentration. S_f/S pair loop is open (dash line), S_f/S pair loop is closed using a GLC (line).

synthesized directly from the substrate equation has the following form:

$$S_f = \frac{v - S + \beta \frac{K(S')}{Y} \int_0^\infty W(m, t) dm}{\beta D} + S \quad (29)$$

In the same as before, the input of linearized model (v) can be generated by a PI controller (Eq. (28)). In addition, the same values as before are assumed for the GLC parameters ($K_c=1$, $\tau_f=1$ hr and $\beta=1$ hr). The responses of m_0 and S are shown in Figs. 10 and 11 for two cases: a) the S_f/S pair loop is open ($S_f=20$ g/L, $D=0.25$ hr $^{-1}$), and b) after 5 hours, the S_f/S pair loop is closed ($S^*=0.8$ g/L). As can be seen from the results, although the oscillation in the substrate concentration is

damped, the oscillation in the total cell number is not damped, and therefore in the same as D/S pair, the S_f/S pair control is not suitable for the attenuation of oscillation.

Control based on D/ m_0 pair

By integrating the equation (1) with respect to m , the differential equation describing the evolution of the total cell number per unit volume is easily derived as below:

$$\frac{dm_0}{dt} = \int_0^\infty \int_0^\infty 2P(m, m') \Gamma(m', S') W(m', t) dm' dm - \int_0^\infty \Gamma(m, S') W(m, t) dm - Dm_0 \quad (30)$$

Therefore, the control law of the GLC has the following form:




Fig. 12: Transient response of total cell number per unit volume. D/m_0 pair loop is open (dash line), D/m_0 pair loop is closed using a GLC (line).

$$D = \frac{-1}{\beta m_0} \left\{ v - m_0 - \beta \left[\int_0^\infty \int_0^\infty 2P(m, m') \Gamma(m', S') W(m', t) dm' dm - \int_0^\infty \Gamma(m, S') W(m, t) dm \right] \right\} \quad (31)$$

The input of the linearized system (v) can be generated by a PI controller as below:

$$v(t) = v_s + K_C (m_0^* - m_0) + \frac{K_C}{\tau_I} \int_0^t (m_0^* - m_0) dt \quad (32)$$

Where m_0^* is the desired profile of the total cell number per unit volume. The same values as before are assumed for the GLC parameters ($K_c=1$, $\tau_I=1$ hr and $\beta=1$ hr).

The responses of m_0 and S are shown in Figs. 12 and 13 for two cases: a) the D/m_0 pair loop is open ($S_f=20$ g/L, $D=0.25$ hr⁻¹), and b) after 5 hours, the D/m_0 pair loop is closed ($m_0^* = 1.3 \times 10^{13}$ cells/L). As can be seen from the results, the GLC controller based on D/m_0 pair not only is able to control the total cell number per unit volume but also damp the oscillation in the substrate concentration. Therefore the D/m_0 pair control is suitable for the attenuation of oscillation.

To distinguish the abilities and disabilities of the proposed nonlinear controller (GLC), a conventional PI controller is used for D/m_0 pair. The parameters of this PI controller are tuned with trial and error and have the




Fig. 13: Transient response of substrate concentration. D/m_0 pair loop is open (dash line), D/m_0 pair loop is closed using a GLC (line).

following values: $K_c = -1.5$ hr⁻¹, $\tau_I = 1$ hr. It is necessary to note that, a scaled value of error is used for input of the PI controller (error = $[m_0^* - m_0] / m_0^*$). The closed loop response of m_0 and D are shown in Figs. 14 and 15 for GLC and PI controller. In these figures, the controller is turned on after 5 hours and a step change in setpoint is applied after 35 hours (desired value of m_0 is changed from 1.3×10^{13} to 1×10^{13} cells/L). As can be seen from the results, the proposed GLC method has much better performance than conventional PI controller. It is necessary to note that, in implementation of GLC and PI it is assumed that the total cell number per unit volume can be measured. In addition, the substrate concentrations are not required in implementation of PI controller against the GLC.

The GLC method is a model-based controller and its performance will decrease with increasing the model mismatch. For example the closed loop response of m_0 is shown in Fig. 16 for GLC and PI controller with +20% error in dilution rate. As can be seen, in this case the performance of PI controller is slightly better than GLC.

CONCLUSIONS

In this paper, the numerical solution of a cell population balance model which was proposed for a continuous bioreactor, and nonlinear control of the simulated model have been investigated. This investigation is performed when the stable oscillation exists in the continuous yeast culture.




Fig. 14: Closed loop response of total cell number per unit volume. GLC method (dash line), PI controller (line).




Fig. 15: Closed loop response of dilution rate, GLC method (dash line), PI method (line).




Fig. 16: Closed loop response of total cell number per unit volume (with +20 % error in dilution rate). GLC method (dash line), PI controller (line).

The numerical solution has two steps. In the first step, the cell population balance equation is discretized over the finite cell mass domain by using three numerical methods of finite difference, orthogonal collocation on finite elements and Galerkin finite element. Then the resulted set of ordinary differential equations is solved numerically by 4th order Runge-Kutta (ode 45 of MATLAB 7.0) over the time domain. The results showed that the finite difference method has drawback in prediction of oscillatory responses and even by increasing the number of mass domain division to 400, no oscillation was observed. Orthogonal collocation on finite elements and Galerkin finite element are able to predict the oscillatory behaviors. The Galerkin finite element method is simpler than the orthogonal collocation but orthogonal collocation is more convergent than Galerkin. For example, Orthogonal collocation on finite elements gets an accurate solution by 109 collocation points on mass domain however Galerkin finite element needs at least 200 division on mass domain to reach this accuracy and it means that the number of calculations is more and the time duration is longer. Therefore the orthogonal collocation on finite element is recommended for solving the PBE models of the yeast culture in continuous bioreactors.

Three nonlinear controllers with GLC structure are designed for controlling the D/S , S_f/S and D/m_0 pairs. The results show that the oscillation behavior of the total cell number per unit volume can not be damped by controlling the D/S or S_f/S pairs. But the GLC controller based on D/m_0 pair not only is able to control the total cell number per unit volume but also damp the oscillation in the substrate concentration. Therefore the D/m_0 pair control is recommended for the attenuation of oscillation. Finally the performance of GLC is compared with a conventional PI for controlling the D/m_0 pair. The results show that although the PI controller has simpler structure, the GLC controller has better performance.

Received : 8th October 2007 ; Accepted : 2nd September 2008

REFERENCES

- [1] Munch, T., Sonnleitner, B. and Fiechter, A., New Insights into the Synchronization Mechanism with Forced Synchronous Cultures of *Saccharomyces Cerevisiae*, *J. Biotechnol.*, **24**, 299 (1992).

- [2] Parulekar, S. J., Semones, G. B., Rolf, M. J., Lievens, J. C. and Lim, H. C., Induction and Elimination of Oscillations in Continuous Cultures of *Saccharomyces Cerevisiae*, *Biotechn. Bioeng.*, **28**, 700 (1986).
- [3] Patnaik, P. R., Oscillatory Metabolism of *Saccharomyces Cerevisiae*: An Overview of Mechanisms and Models, *Biotechnology Advances*, **21**, 183 (2003).
- [4] Strassle, C., Sonnleitner, B. and Fiechter, A., A Predictive Model for the Spontaneous Synchronization of *Saccharomyces Cerevisiae* Grow in Continuous Culture. II. Experimental Verification, *J. Biotechnol.*, **9**, 191 (1989).
- [5] Porro, D. E., Martegani, B., Ranzi, M. and Alberghina, L., Oscillations in Continuous Cultures of Budding Yeasts: A Segregated Parameter Analysis, *Biotechnol. Bioeng.*, **32**, 411 (1988).
- [6] Munch, T., Sonnleitner, B. and Fiechter, A., The Decisive Role of the *Saccharomyces Cerevisiae* Cell Cycle Behavior for Dynamic Growth Characterization, *J. Biotechnol.*, **22**, 329 (1992).
- [7] Beuse, M., Bartling, R., Kopmann, A., Diekmann, H. and Thoma M., Effect of the Dilution Rate on the Mode of Oscillation in Continuous Cultures of *Saccharomyces Cerevisiae*, *J. of Biotechnology*, **61**, 15 (1998).
- [8] Cazzador, L., Mariani, L., Martegani, E. and Alberghina, L., Structured Segregated Models and Analysis of Self-Oscillating Yeast Continuous Cultures, *Bioprocess Eng.*, **5**, 175 (1990).
- [9] Jones, K. D. and Kompala, D. S., Cybernetic Model of the Growth Dynamics of *Saccharomyces Cerevisiae* in Batch and Continuous Cultures, *J. Biotechnology*, **71**, 105 (1999).
- [10] Martegani, E., Porro, D., Ranzi, B. M. and Alberghina, L., Involvement of a Cell Size Control Mechanism in the Induction and Maintenance of Oscillations in Continuous Cultures of Budding Yeast, *Biotechnol. Bioeng.*, **36**, 453 (1990).
- [11] Strassle, C., Sonnleitner, B. and Fiechter, A., A Predictive Model for the Spontaneous Synchronization of *Saccharomyces Cerevisiae* Grown in Continuous Culture. I. Concept, *J. Biotechnol.*, **7**, 299 (1988).
- [12] Mantzaris, N. V., Srieenc, F. and Daoutidis, P., Nonlinear Productivity Control Using a Multi-Stage Cell Population Balance Model, *Chem. Eng. Sci.*, **57**, 1 (2002).
- [13] Fredrickson, A. G. and Mantzaris, N. V., A New Set of Population Balance Equations for Microbial and Cell Cultures, *Chem. Eng. Sci.*, **57**, 2265 (2002).
- [14] Ramkrishna, D., Kompala, D. S. and Tsao, G. T., Are Microbes Optimal Strategists?, *Biotechnol. Prog.*, **3**, 121 (1987).
- [15] Sheppard, J. D. and Dawson, P. S., Cell Synchrony and Periodic Behavior in Yeast Populations, *Canadian J. Chem. Eng.*, **77**, 893 (1999).
- [16] Zhang, Y., Henson, M. A. and Kevrekidis, Y.G., Nonlinear Model Reduction for Dynamic Analysis of Cell Population Models, *Chem. Eng. Sci.*, **58**, 429 (2003).
- [17] Henson, M. A., Dynamic Modeling and Control of Yeast Cell Populations in Continuous Biochemical Reactors, *Comp. Chem. Eng.*, **27**, 1185 (2003).
- [18] Mantzaris, N. V., Daoutidis, P., Cell Population Balance Modeling and Control in Continuous Bioreactors, *J. Process Control*, **14**, 775 (2004).
- [19] Zhu, G. Y., Zamamiri, A. M., Henson, M. A. and Hjortso, M. A., Model Predictive Control of Continuous Yeast Bioreactors Using Cell Population Models, *Chem. Eng. Sci.*, **55**, 6155 (2000).
- [20] Zhang, Y., "Dynamic Modeling and Analysis of Oscillatory Bioreactors", PhD Theses, Louisiana State University, Chem. Eng. Department, (2002).
- [21] Hjortso, M. A. and Nielsen, J., A Conceptual Model of Autonomous Oscillations in Microbial Cultures, *Chem. Eng. Sci.*, **49**, 1083 (1994).
- [22] Hjortso, M. A. and Nielsen, J., Population Balance Models of Autonomous Microbial Oscillations, *J. Biotechnol.*, **42**, 255 (1995).
- [23] Mantzaris, N. V., Liou, J. J., Daoutidis, P. and Srieenc, F., Numerical Solution of a Mass Structured Cell Population Balance Model in an Environment of Changing Substrate Concentration, *J. Biotechnol.*, **71**, 157 (1999).
- [24] Mantzaris, N. V., Daoutidis, P. and Srieenc, F., Numerical Solution of Multi-variable Cell Population Balance Models: I. Finite Difference Methods, *Comp. Chem. Eng.*, **25**, 1411 (2001).

- [25] Mantzaris, N. V., Daoutidis, P. and Srieenc, F., Numerical Solution of Multi-variable Cell Population Balance Models: II. Spectral Methods, *Comp. Chem. Eng.*, **25**, 1441 (2001).
- [26] Mantzaris, N. V., Daoutidis, P. and Srieenc, F., Numerical Solution of Multi-variable Cell Population Balance Models: III. Finite Element Methods, *Comp. Chem. Eng.*, **25**, 1463 (2001).
- [27] Finlayson, B. A., "Nonlinear Analysis in Chemical Engineering", McGraw-Hill, (1980).
- [28] Kurtz, M. J., Zhu, G. Y., Zamamiri, A. M., Henson, M. A. and Hjortso, M. A., Control of Oscillating Microbial Cultures Described by Population Balance Models, *Ind. Eng. Chem. Research*, **37**, 4059 (1998).
- [29] Zhang, Y., Zamamiri, A. M., Henson, M. A. and Hjortso, M. A., Cell Population Models for Bifurcation Analysis and Nonlinear Control of Continuous Yeast Bioreactors, *J. Process Control.*, **12**, 721 (2002).
- [30] Kurtz, M. J., Zhu, G. Y., Zamamiri, A. M., Henson, M. A. and Hjortso, M. A., Control of Oscillating Microbial Cultures Described by Population Balance Models, *Ind. Eng. Chem. Research*, **37**, 4059 (1998).
- [31] Shahrokhi, M. and Fanaei, M. A., State Estimation in a Batch Suspension Polymerization Reactor, *Iranian Polymer J.*, **10**, 173 (2001).
- [32] Soroush, M. and Kravaris, C., Nonlinear Control of a Batch Polymerization Reactor: An Experimental Study, *AIChE J.*, **38**, 1429 (1992).